

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	18749	(reduc\$3 decreas\$3) near3 (column row)	US-PGPUB; USPAT	OR	ON	2005/02/21 10:09
L2	4032996	\$2format\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 09:45
L5	991	(merg\$ conbin\$3) near3 (row column)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 09:44
L6	38	2 with 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 10:02
L7	511	2 with 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 09:45
L8	2	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 09:45
L9	138055	\$2format\$3 near3 (content document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 09:46
L10	2	5 same 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 09:47
L11	23	1 same 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 09:47
L12	291	,7 and (@ad<"19990430" @rlad<"19990430")	US-PGPUB; USPAT	OR	ON	2005/02/21 10:03
L13	5	"6108696"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 10:01
L14	0	13 and (three near3 columns)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 10:01
L15	2	"6216157".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 10:01

L16	0	15 and (three near3 columns)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 10:01
L17	13726	(reduc\$3 decreas\$3) near3 (column)	US-PGPUB; USPAT	OR	ON	2005/02/21 10:02
L18	385	2 with 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 10:10
L19	223	18 and (@ad<"19990430" @rlad<"19990430")	US-PGPUB; USPAT	OR	ON	2005/02/21 10:10
L20	2536	(reduc\$3 decreas\$3) with ((number amount) near3 column)	US-PGPUB; USPAT	OR	ON	2005/02/21 10:09
L21	69	2 with 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/21 10:10
L22	48	21 and (@ad<"19990430" @rlad<"19990430")	US-PGPUB; USPAT	OR	ON	2005/02/21 10:10
S1	689	(present\$3 render\$3) near (web adj page)	US-PGPUB; USPAT	OR	ON	2004/05/19 10:33
S2	50	identify\$3 with ((web adj page) near3 content)	US-PGPUB; USPAT	OR	ON	2002/09/10 15:41
S3	1	((present\$3 render\$3) near (web adj page)) same (identify\$3 with ((web adj page) near3 content))	US-PGPUB; USPAT	OR	ON	2002/09/10 15:57
S4	0	(identify\$3 with ((web adj page) near3 content)) same ((web adj page) with (user adj (preference profile)))	US-PGPUB; USPAT	OR	ON	2002/09/10 15:57
S5	6	((present\$3 render\$3) near (web adj page)) same ((web adj page) with (user adj (preference profile)))	US-PGPUB; USPAT	OR	ON	2002/09/10 16:03
S6	0	((present\$3 render\$3) near (web adj page)) and (identify\$3 with ((web adj page) near3 content)) and ((web adj page) with (user adj (preference profile)))	US-PGPUB; USPAT	OR	ON	2002/09/11 07:52
S7	4	(identify\$3 with ((web adj page) near3 content)) and ((web adj page) with (user adj (preference profile)))	US-PGPUB; USPAT	OR	ON	2002/09/11 07:39
S8	24	((present\$3 render\$3) near (web adj page)) and ((web adj page) with (user adj (preference profile)))	US-PGPUB; USPAT	OR	ON	2002/09/10 16:03
S9	16	((present\$3 render\$3) near (web adj page)) and (identify\$3 with ((web adj page) near3 content))	US-PGPUB; USPAT	OR	ON	2002/09/10 16:14
S10	128659	(generat\$3 render\$3 present\$3) with (image page)	US-PGPUB; USPAT	OR	ON	2002/09/11 07:39
S11	169	(web adj page) with (user adj (preference profile))	US-PGPUB; USPAT	OR	ON	2002/09/10 16:48
S12	89	((web adj page) with (user adj (preference profile))) and (@ad<"19990430" @rlad<"19990430")	US-PGPUB; USPAT	OR	ON	2005/02/21 09:50
S13	128659	(generat\$3 render\$3 present\$3) with (image page)	US-PGPUB; USPAT	OR	ON	2002/09/11 07:40
S14	25680	(identify\$3 with (section portion))	US-PGPUB; USPAT	OR	ON	2002/09/11 07:40
S15	6355	new near3 content	US-PGPUB; USPAT	OR	ON	2002/09/11 07:40
S16	609	709/245.ccls.	US-PGPUB; USPAT	OR	ON	2002/09/11 07:47
S17	803	707/513.ccls.	US-PGPUB; USPAT	OR	ON	2002/09/11 07:48

S18	473	((generat\$3 render\$3 present\$3) with (image page)) same ((identify\$3 with (section portion)))	US-PGPUB; USPAT	OR	ON	2002/09/11 07:48
S19	0	((((generat\$3 render\$3 present\$3) with (image page)) same ((identify\$3 with (section portion)))) same (new near3 content)	US-PGPUB; USPAT	OR	ON	2002/09/11 07:48
S20	10	((identify\$3 with (section portion))) same (new near3 content)	US-PGPUB; USPAT	OR	ON	2002/09/11 07:48
S21	5	((((identify\$3 with (section portion))) same (new near3 content)) and ((generat\$3 render\$3 present\$3) with (image page))	US-PGPUB; USPAT	OR	ON	2002/09/11 07:48
S22	13516	((identify\$3 with (section portion))) and (page image spot)	US-PGPUB; USPAT	OR	ON	2002/09/11 07:52
S23	517	((((identify\$3 with (section portion))) and (page image spot)) and ((NEW UPDATE) NEAR3 CONTENT)	US-PGPUB; USPAT	OR	ON	2002/09/11 07:57
S24	345	((((identify\$3 with (section portion))) and (page image spot)) and ((NEW UPDATE) NEAR CONTENT)	US-PGPUB; USPAT	OR	ON	2002/09/11 07:55
S25	313	((NEW UPDATE) NEAR2 CONTENT) with page	US-PGPUB; USPAT	OR	ON	2002/09/11 07:57
S26	103	((NEW UPDATE) NEAR2 CONTENT) with (web adj page)	US-PGPUB; USPAT	OR	ON	2002/09/11 07:58
S27	10	((identify\$3 with (section portion))) and (((NEW UPDATE) NEAR2 CONTENT) with (web adj page))	US-PGPUB; USPAT	OR	ON	2002/09/11 08:08
S28	2376	frame near3 page	US-PGPUB; USPAT	OR	ON	2002/09/11 08:11
S29	325330	preference profile	US-PGPUB; USPAT	OR	ON	2002/09/11 08:09
S30	0	((new near3 content) same (frame near3 page)) same (preference profile)	US-PGPUB; USPAT	OR	ON	2002/09/11 08:09
S31	8	(new near3 content) same (frame near3 page)	US-PGPUB; USPAT	OR	ON	2002/09/11 08:09
S32	219	(frame plane) near3 (web adj page)	US-PGPUB; USPAT	OR	ON	2002/09/11 08:13
S33	2	(((((identify\$3 with (section portion))) and (page image spot)) and ((NEW UPDATE) NEAR3 CONTENT)) and ((frame plane) near3 (web adj page))	US-PGPUB; USPAT	OR	ON	2002/09/11 08:14
S34	65	(bunjob bunjab jaroenchonwanit jarden chonwanit).xa.	US-PGPUB; USPAT	OR	ON	2002/09/11 08:23
S35	64	(bunjob bunjab jaroenchonwanit jardenchonwanit).xa.	US-PGPUB; USPAT	OR	ON	2002/09/11 08:23
S36	15	updat\$3 near10 ((portion section) near3 (webpage (web adj page)))	US-PGPUB; USPAT	OR	ON	2002/09/11 12:01
S37	1	"5774666".pn.	US-PGPUB; USPAT	OR	ON	2002/09/11 12:01
S38	7	("5014125" "5508754" "5589892" "5606655" "5640193" "5649186" "5655117").PN.	USPAT	OR	ON	2002/09/11 12:02
S39	38	"5774666".URPN.	USPAT	OR	ON	2002/09/11 12:03
S40	1	"6154771".pn.	US-PGPUB; USPAT	OR	ON	2002/09/13 07:39
S41	0	"6154771".pn. and (profile preference)	US-PGPUB; USPAT	OR	ON	2002/09/13 08:06
S42	72785	select\$3 near3 user	US-PGPUB; USPAT	OR	ON	2002/09/13 08:17
S43	196	provider near3 preference	US-PGPUB; USPAT	OR	ON	2002/09/13 08:18
S44	20	(select\$3 near3 user) same (provider near3 preference)	US-PGPUB; USPAT	OR	ON	2002/09/13 08:09
S45	21592	(present\$3 rend\$5 provid\$3 generat\$3) near3 content	US-PGPUB; USPAT	OR	ON	2002/09/13 08:10

S46	6901	(user preovider) adj2 preference	US-PGPUB; USPAT	OR	ON	2002/09/13 08:13
S47	165	((present\$3 rend\$5 provid\$3 generat\$3) near3 content) same ((user preovider) adj2 preference)	US-PGPUB; USPAT	OR	ON	2002/09/13 08:13
S48	50	((((present\$3 rend\$5 provid\$3 generat\$3) near3 content) same ((user preovider) adj2 preference)) and (@ad<"19990430" @rlad<"19990430"))	US-PGPUB; USPAT	OR	ON	2002/09/13 08:14
S49	0	(preovider) adj2 preference	US-PGPUB; USPAT	OR	ON	2002/09/13 08:13
S50	94	(provider) adj2 preference	US-PGPUB; USPAT	OR	ON	2002/09/13 08:13
S51	6948	(user provider) adj2 preference	US-PGPUB; USPAT	OR	ON	2002/09/13 08:13
S52	169	((present\$3 rend\$5 provid\$3 generat\$3) near3 content) same ((user provider) adj2 preference)	US-PGPUB; USPAT	OR	ON	2002/09/13 08:13
S53	54	((((present\$3 rend\$5 provid\$3 generat\$3) near3 content) same ((user provider) adj2 preference)) and (@ad<"19990430" @rlad<"19990430"))	US-PGPUB; USPAT	OR	ON	2002/09/13 08:38
S54	31384	select\$3 adj2 user	US-PGPUB; USPAT	OR	ON	2002/09/13 08:40
S55	94	provider adj2 preference	US-PGPUB; USPAT	OR	ON	2002/09/13 08:21
S56	1	(select\$3 adj2 user) same (provider adj2 preference)	US-PGPUB; USPAT	OR	ON	2002/09/13 08:29
S57	203	((present\$3 rend\$5 provid\$3 generat\$3) near3 content) same (select\$3 adj2 user)	US-PGPUB; USPAT	OR	ON	2002/09/13 08:30
S58	1	(provider adj2 preference) same (((present\$3 rend\$5 provid\$3 generat\$3) near3 content) same (select\$3 adj2 user))	US-PGPUB; USPAT	OR	ON	2002/09/13 08:30
S59	292	(select\$3 adj2 user) with provider	US-PGPUB; USPAT	OR	ON	2002/09/13 08:42
S60	145	((select\$3 adj2 user) with provider) and (@ad<"19990430" @rlad<"19990430"))	US-PGPUB; USPAT	OR	ON	2002/09/13 08:43
S61	52791	select\$3 adj2 (client user device)	US-PGPUB; USPAT	OR	ON	2002/09/13 08:50
S62	1806	(select\$3 adj2 (client user device)) with (provider content)	US-PGPUB; USPAT	OR	ON	2002/09/13 08:44
S63	1058	((select\$3 adj2 (client user device)) with (provider content)) and (@ad<"19990430" @rlad<"19990430"))	US-PGPUB; USPAT	OR	ON	2002/09/13 08:44
S64	379	(select\$3 adj2 (client user device)) with provider	US-PGPUB; USPAT	OR	ON	2002/09/13 08:52
S65	1495	(select\$3 adj2 (client user device)) with content	US-PGPUB; USPAT	OR	ON	2002/09/13 08:44
S66	889	((select\$3 adj2 (client user device)) with content) and (@ad<"19990430" @rlad<"19990430"))	US-PGPUB; USPAT	OR	ON	2002/09/13 08:44
S67	191	((select\$3 adj2 (client user device)) with provider) and (@ad<"19990430" @rlad<"19990430"))	US-PGPUB; USPAT	OR	ON	2002/09/13 08:52
S68	35826	select\$3 adj (client user device)	US-PGPUB; USPAT	OR	ON	2002/09/13 08:52
S69	138	(select\$3 adj (client user device)) near5 provider	US-PGPUB; USPAT	OR	ON	2002/09/13 08:56
S70	72	((select\$3 adj (client user device)) near5 provider) and (@ad<"19990430" @rlad<"19990430"))	US-PGPUB; USPAT	OR	ON	2002/09/13 09:26
S71	4	(select\$3 adj (client user device)) with (base near5 provider)	US-PGPUB; USPAT	OR	ON	2002/09/13 08:56
S72	15	(select\$3 adj (client user device)) with (base near5 content)	US-PGPUB; USPAT	OR	ON	2002/09/13 09:01

S73	0	(classify\$2 near2 user) with (bas\$3 near2 (content provider))	US-PGPUB; USPAT	OR	ON	2002/09/13 09:02
S74	20	(classify\$2 near2 user) with ((content provider))	US-PGPUB; USPAT	OR	ON	2002/09/13 09:22
S75	2	(select\$3 adj (client user device)) with (target adj (information advertiz\$3))	US-PGPUB; USPAT	OR	ON	2002/09/13 09:24
S76	0	(target adj (information advertiz\$3)) same ((present\$3 rend\$5 provid\$3 generat\$3) near3 content) same ((user preovider) adj2 preference)	US-PGPUB; USPAT	OR	ON	2002/09/13 09:39
S77	9	(target adj (information advertiz\$3)) same ((present\$3 rend\$5 provid\$3 generat\$3) near3 content)	US-PGPUB; USPAT	OR	ON	2002/09/13 09:27
S78	2	(target adj (information advertiz\$3)) same ((user preovider) adj2 preference)	US-PGPUB; USPAT	OR	ON	2002/09/13 09:28
S79	1724	target adj (information advertiz\$3)	US-PGPUB; USPAT	OR	ON	2002/09/13 09:38
S80	1069	(target adj (information advertiz\$3)) and (@pd<"19990430")	US-PGPUB; USPAT	OR	ON	2002/09/13 09:40
S81	160	target adj adverti\$4	US-PGPUB; USPAT	OR	ON	2002/09/13 09:39
S82	0	(target adj adverti\$4) same ((present\$3 rend\$5 provid\$3 generat\$3) near3 content) same ((user preovider) adj2 preference)	US-PGPUB; USPAT	OR	ON	2002/09/13 09:39
S83	0	(target adj adverti\$4) same ((user preovider) adj2 preference)	US-PGPUB; USPAT	OR	ON	2002/09/13 09:39
S84	2	(target adj adverti\$4) same ((present\$3 rend\$5 provid\$3 generat\$3) near3 content)	US-PGPUB; USPAT	OR	ON	2002/09/13 09:40
S85	29	(target adj adverti\$4) and (@pd<"19990430")	US-PGPUB; USPAT	OR	ON	2002/09/13 09:40
S86	1	"5890219".pn.	US-PGPUB; USPAT	OR	ON	2002/09/13 14:33
S87	1	"5890219".pn. and (queue sequence order)	US-PGPUB; USPAT	OR	ON	2002/09/13 14:34
S88	131862	synchroniz\$3 and (queue sequence order)	US-PGPUB; USPAT	OR	ON	2002/09/13 14:35
S89	445	(synchroniz\$3 adj data) with (queue sequence order)	US-PGPUB; USPAT	OR	ON	2002/09/13 14:36
S90	42	(synchroniz\$3 adj data) with ready	US-PGPUB; USPAT	OR	ON	2002/09/13 14:50
S91	0	"5890219".pn. and ((synchroniz\$3 adj data) with queue)	US-PGPUB; USPAT	OR	ON	2002/09/13 14:37
S92	0	"5890219".pn. and ((synchroniz\$3 adj data) with ready)	US-PGPUB; USPAT	OR	ON	2002/09/13 14:37
S93	31	(synchroniz\$3 adj data) with queue	US-PGPUB; USPAT	OR	ON	2002/09/13 14:37
S94	1	"5890219".pn. and ready	US-PGPUB; USPAT	OR	ON	2002/09/13 14:56
S95	1	"5890219".pn. and count	US-PGPUB; USPAT	OR	ON	2002/09/13 15:03
S96	1	"5890219".pn. and synchronize	US-PGPUB; USPAT	OR	ON	2002/09/13 15:12
S97	1	"5890219".pn. and ((read\$3 retriev\$3 access\$3) adj signal)	US-PGPUB; USPAT	OR	ON	2002/09/13 15:13
S98	30	((present\$3 render\$3 proivid\$3) near3 (page document content)) with (user near3 group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 13:20

S99	214904	((select\$3 specify\$3 identify\$3) near3 (portion section page document content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 12:15
S10 0	392383	((transform\$3 customiz\$3 adapt\$3 manipul\$3 modify\$3 format\$3 reformat\$3 alter\$3 chang\$3) near3 (portion section page document content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 12:18
S10 1	1	((present\$3 render\$3 provid\$3) near3 (page document content)) with (user near3 group)) same (((select\$3 specify\$3 identify\$3) near3 (portion section page document content))) same (((transform\$3 customiz\$3 adapt\$3 manipul\$3 modify\$3 format\$3 reformat\$3 alter\$3 chang\$3) near3 (portion section page document content)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 12:40
S10 2	6	((present\$3 render\$3 provid\$3) near3 (page document content)) with (user near3 group)) same (((transform\$3 customiz\$3 adapt\$3 manipul\$3 modify\$3 format\$3 reformat\$3 alter\$3 chang\$3) near3 (portion section page document content)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 12:48
S10 3	2	"6216157".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 12:49
S10 4	0	"6216157".pn. and reformat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 12:50
S10 5	2	"6108696".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 12:49
S10 6	0	"6108696".pn. and reformat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 12:50
S10 7	18	reformat near3 (web adj page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 12:50
S10 8	2	"6216157".pn. ("6216157".pn. and reformat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 12:50
S10 9	0	("6216157".pn. "6216157".pn.) and rendition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 13:02
S11 0	392	render\$3 near3 (web adj page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 13:15

S11 1	4	(render\$3 near3 (web adj page)) and (reformat near3 (web adj page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 13:05
S11 2	3	((("6122403") or ("5862260") or ("5841978"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2003/02/14 13:07
S11 3	0	bunjob.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 13:15
S11 4	76	bunjob.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 13:15
S11 5	0	"6347340".URPN.	USPAT	OR	ON	2003/02/14 13:17
S11 6	14	("4953106" "5432852" "5577202" "5610904" "5765109" "5809028" "5826039" "5912897" "5944823" "5966656" "5983265" "6023723" "6219667" "6215495").PN.	USPAT	OR	ON	2003/02/14 13:19
S11 7	30	((present\$3 render\$3 provid\$3) near3 (page document content)) with (user near3 group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 13:21
S11 8	13779	select\$3 near3 link	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 13:21
S11 9	3	(select\$3 near3 link) and (((present\$3 render\$3 provid\$3) near3 (page document content)) with (user near3 group))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/14 13:22
S12 0	507	identif\$4 with ((section portion) near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 14:54
S12 1	357	reformat\$3 near3 content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 15:09
S12 2	0	(identif\$4 with ((section portion) near3 page)) same (reformat\$3 near3 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 14:55
S12 3	1	(identif\$4 with ((section portion) near3 page)) and (reformat\$3 near3 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 14:56
S12 4	0	bunjob.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 14:58

S12 5	76	bunjob.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 14:58
S12 6	22	reformat\$3 with (web near3 content)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/02/20 15:09
S12 7	34	((present\$3 render\$4 provid\$3) near3 ((page content) with (client near3 class character type))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/07 07:51
S12 8	1	((present\$3 render\$4 provid\$3) near3 ((page content) with (client near3 class character type))) same (user near3 (profile preference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/07 07:52
S12 9	409777	device near3 (character type class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/07 07:54
S13 0	9416	user near3 (profile preference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/07 07:55
S13 1	156	((device near3 (character type class)) same (user near3 (profile preference)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/07 07:55
S13 2	17	((device near3 (character type class)) same (user near3 (profile preference))) same ((present\$3 render\$3 provid\$3) near3 (content information message page portion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/07 08:50
S13 3	3	"6108696"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/07 08:51
S13 4	3	"6216157"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/03/07 08:52
S13 5	134762	generat\$3 near3 (image graphic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/21 18:14
S13 6	4701	identify\$3 near3 section	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/21 18:14
S13 7	4093	\$2format\$3 near3 ((image graphic) near3 section)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/21 18:17

S13 8	44	(generat\$3 near3 (image graphic)) and (identify\$3 near3 section) and (\$2format\$3 near3 ((image graphic) near3 section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/21 18:15
S13 9	2	(generat\$3 near3 (image graphic)) same (identify\$3 near3 section) same (\$2format\$3 near3 ((image graphic) near3 section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/21 18:16
S14 0	4095	\$3format\$3 near3 ((image graphic) near3 section)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/21 18:17
S14 1	27	(generat\$3 near3 (image graphic)) same (identify\$3 near3 section)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/21 18:17
S14 2	8	\$3format\$3 same ((generat\$3 near3 (image graphic)) same (identify\$3 near3 section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/21 18:22
S14 3	607	(select\$3 identify\$3) near3 ((screen graphic) near3 section)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/26 10:04
S14 4	62	((select\$3 identify\$3) near3 ((screen graphic) near3 section)) with (custom chang\$3 alter\$3 shap43 config figur\$3 construct gmerat\$3 mak43 buil43 fashion43 design produc\$3 format design form)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/26 10:05
S14 5	4094	(select\$3 identify\$3) near3 ((page display screen graphic) near (portion segment section))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/26 10:11
S14 6	35	((select\$3 identify\$3) near3 ((screen graphic) near3 section)) with (custom chang\$3 alter\$3 shap43 config figur\$3 construct gmerat\$3 mak43 buil43 fashion43 design produc\$3 format design form)) and (@ad<"19971114" @rlad<"19971114")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/26 10:08
S14 7	269	identif\$4 near3 (image adj (segment section portion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/26 10:20
S14 8	1	(identif\$4 near3 (image adj (segment section portion))) with (format reformat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/26 10:15
S14 9	6	(identif\$4 near3 (image adj (segment section portion))) same (format reformat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/26 10:15
S15 0	11724	(select\$3 defin\$3 identif\$4) near3 ((video image page screen diosplay) near2 (segment section portion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/26 10:28

S15 1	22	"5887133"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/26 10:35
S15 2	10	"5887133" and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/26 10:58
S15 3	2	((("6108696") or ("6216157")).PN.	USPAT; USOCR; IBM_TDB	OR	OFF	2003/06/26 10:58
S15 4	2	((("6108696") or ("6216157")).PN.) and (render\$3 image\$3 identif\$4 section)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/06/26 10:59
S15 5	30706	format near3 (web html image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 12:42
S15 6	2001	(format near3 (web html image)) same (pda wap portable (limited near3 device) cellular mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 12:43
S15 7	382	((format near3 (web html image)) same (pda wap portable (limited near3 device) cellular mobile)) and (@ad<"19990430" @rlad<"19990430")	US-PGPUB; USPAT	OR	ON	2004/05/18 12:40
S15 8	7716	(identif\$4 select\$3designat\$3 choos) with ((image picture document) near3 (part rend\$5 portion section segment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 12:42
S15 9	17266	\$2form\$2 with ((pda portable limited cellular mobile) near3 (phone device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 12:46
S16 0	3	((identif\$4 select\$3designat\$3 choos) with ((image picture document) near3 (part rend\$5 portion section segment))) same (\$2form\$2 with ((pda portable limited cellular mobile) near3 (phone device)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 12:45
S16 1	0	reformat\$3 near3 content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 12:46
S16 2	496	reformat\$3 near3 content	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 12:46
S16 3	4	(reformat\$3 near3 content) with ((pda portable limited cellular mobile) near3 (phone device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 16:26

S16 4	60	(reformat\$3) with ((class pda portable limited cellular mobile) near3 (phone device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 16:27
S16 5	60	(reformat\$3) with ((class pda portable limited cellular mobile) near3 (phone device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/18 16:27
S16 6	6	((reformat\$3) with ((class pda portable limited cellular mobile) near3 (phone device))) and (@ad<"19990430" @rld<"19990430")	US-PGPUB; USPAT	OR	ON	2004/05/18 16:27
S16 7	2	"20020007359"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 08:33